

Alphacool Eisblock XPX Pro 1U

Alphacool article number: 12936



Quick Info

The Alphacool Eisblock XPX Pro 1U is part of the latest generation of CPU water coolers offering you great performance.

- The cooler is suitable for all U1 (H1) racks and cases
- Optimized flow

Compatibility

AMD: AM4 / AM5 / SP3 / SP6 / sTR5 / sWRX8 / TR4

Intel: LGA 1700 / LGA 1851 / LGA 2011-3 / LGA 2066 / LGA 3647 / LGA 4189 / LGA 4677 (optional) / LGA 4710 (optional)

Scope of delivery

1x CPU Cooler Eisblock XPX Pro 1U

Mounting material

Mounting manual in multiple languages (DE/EN/FR)

Technical data

Dimensions	79 x 63,8 x 25,5mm
Weigth	205g
Max working temperature	60°C
Pressure tested	8 Bar
Material cooling plate	nickel plated copper
Material cooler top	Nylon
Connections	3 x G1/4" (IN) ; 5x G1/4" (OUT)

Download links

Manual	12936_Alphacool_Eisblock_XPX_Pro_1U_Manual.pdf
Product pictures	12936_Alphacool_Eisblock_XPX_Pro_1U_pics.zip
EU-DoC / CE / RoHS	Alphacool_EuDoc_CE_RoHS_12936.pdf

Packaging dimensions per unit

L x W x H	183 x 133 x 42 mm
Weight	657 g

Other data

Certificates	CE, FC, RoHS
EAN	4250197129367
Customs code	84195080900

Article text

The Alphacool Eisblock XPX Pro 1U is part of the latest generation of CPU water coolers offering you great performance.

Optimized flow

The Alphacool Eisblock XPX Pro 1U has a large cooling surface area so that the water can flow completely over all CPU cores. This means that even large server CPUs are no longer a problem.

Versatility


With three G1/4 inlet ports and five G1/4 outlets the Eisblock XPX Pro 1U offers versatile connectivity in almost any direction. Thanks to the different mounting brackets that Alphacool includes with each XPX Pro Eisblock it is compatible with Intel LGA 2066, Intel LGA 3647 and AMD TR4/SP3. Simply select your mount and mount it.

Perfect fit

The Alphacool XPX Pro 1U CPU Cooler is suitable for all U1 (H1) racks and cases. The extremely flat design also gives you the freedom you need in your system.

With the Alphacool LGA 4677 Mounting Bracket (article no.: 13764), this cooler is also compatible with the Intel socket LGA 4677.


Figure (1)



General tolerance: $\pm 0,25\text{mm}$
Dimension in millimeter

Figure (2)

Mechanical properties:		
Minimum temperature t min = -20°C	Working pressure p = 0,0 - 2,0Bar	Maximum torque of M max = M3x0,5 = 0,48Nm M thread M4x0,7 = 1,12Nm DIN 13-1 Metric ISO standard thread
Working temperature t = 20°C	Maximum pressure p max = 8,0Bar	
Maximum temperature t max = 60°C		



1015815 12936			
Alphacool Eisblock XPX Pro 1U			
Parts List			
Item	Quantity	Part Number	Description
1	1	1015815 12936 7	Cover
2	1	1015815 12936 1	Body
3	1	1015815 12936 2	O-Ring 24 x 2 NBR 70
4	1	1015815 12936 5	Jetplate
5	1	1015815 12936 9	O-Ring 41 x 2 NBR 701
6	1	1015815 12936 3	O-Ring 64 x 2 NBR 70
7	1	1015815 12936 6	Copperplate
8	6	1015815 12936 4	Countersunk screw